


# Geoevolution of the Earth in the Space

After such excellent explanations above it would be very interesting for analyze what taking place 12000 years ago on the Earth and fate the dwellers by this time. Endless anticipation of even small geo-catastrophe is impossible. Flood will happen again... The biblical flood has already proved by the historical sources, archaeological researches, and other scientific researches. It had been happened about 12,000 years ago.

In reality during these two days of the flood all over the Earth had been **powerful** shock shaking and huge earthquakes. Continental and oceanic lithosphere platforms were under totally shaking. Many volcanoes began eruption simultaneously on the surface and from the cracks of oceans beds and had been changed atmosphere transparency. From borders of the lithosphere platforms colossal amount of the asthenosphere fiery masses were flowing into the ocean by this time. The geo-catastrophic event had been caused intensive and long-lasting boiling and evaporation process of water. The huge evaporation was reason of heavy rainfall, which lasted for many weeks. Almost whole planet was covered by thick black clouds of volcanic ash for a long time. Tropical zone for a short time and other region for a long time didn't experience influence of the Sun. The reason of the huge black volcanic clouds, boiling and evaporation of water masses was erupted huge fiery magma from Asthenosphere on the land as well as into oceans. After such detail explanation it's easy to understand why the heavy rainfall lasted about several weeks on the Earth. In different areas of the land, duration and rainfalls was different from few weeks to the **40** days and so on. Everything could be connected with definite areas location relatively to the sea level as well as to the geographic coordinates, nearness of the regions to oceans, seas and the poles and to the other factors. Huge volcanic suffocate gasses was spreading into atmosphere during floods, and had been changed temporarily the percentage of atmospheric aging (chemical composition). During a long time this event had very influence on the life of mammals' kingdom.

Floods were covering huge areas of the land by this time. Disappeared (submerged) many small islands because isostatic balance was fully destroyed (strong contact to the main platforms). the geological platforms undergone total shaking, water had been flown out from the coasts all over the Earth. Great extinction had fauna and much damaged flora. In soil layers, which existed **12,000** years ago, find out volcanic ash and sea mud, almost on the several hundred meters height from sea level in the sedimentary layers of the event. At the left coast of South America water had been reached **900** meter from sea level. It means Pacific Ocean bed is main source of huge deformations, vibrations and floods.

Existence of the meteoritic heavy atom-nuclear particles in the soil is only result of cosmic dust gravitated by Earth, but abundance is proof for an event. It's known, about 90 years ago, in the atmosphere above Tunguska (Russia) on June 30, 1908 was exploded meteorite (Interplanetary bomb). The explosion knocked over an estimated 80 million trees over 2,150 square kilometres (830 square miles). It is estimated that the earthquake from the blast would have measured 5.0 on the Richter scale, which was not yet developed at the time. An explosion of this magnitude is capable of destroying a large metropolitan area. This possibility has helped to spark discussion of asteroid deflection strategies. The Tunguska event is believed to be the largest impact event on land in Earth's recent history; impacts of similar size in remote ocean areas would have gone unnoticed before the advent of global satellite monitoring in the 1960s and 1970s.



**Explosion of interplanetary bomb above Tunguska**



**exotic anomalous colors in the sky 12000 years ago**

Only heavy atom-nuclear particles were found into soil of destroyed forest. Stony fragments of meteorite was not founded because was not any distinction between Earth stony fragments and meteoritic stony fragments. During geo-evolution our planet had been undergone a lot of meteorites and asteroids bombardment, especially after exploded space-bodies (late heavy bombardment). As a result of all this somebody frightens Earth's dwellers by meteoritic catastrophes. Main danger is suddenly hit of a asteroid. Mankind will face other nearest global catastrophes than Tunguska meteoritic... in future: oil will become a museum piece. It means the traffic will not use the oil products as a fuel and will turn into unmovable iron "boxes". Destroying of flora by human beings is causing vivid process of global warming. If this process goes on, carbon dioxide percentage in the atmosphere will grow up. Antarctica will melt and the water level will rise up about 60 meters on the land. Inhabitants of the planet will face the danger of hunger and lacking food, because the population will be increasing steadily. The Inhabitants are also under threat of ozone holes and other disasters. It can be said, that exploiting everything senselessly will lead to a failure and extinction, so that life could be fully exterminated till the next flood.

Now let's go back to the geo-catastrophic events, which happened approximately 12000 years ago. The stratospheric clouds of dust also contained huge volumes of sulfur dioxide gas emitted from land and oceans. Volcanic gas and dust was ascended and existed into high layers of atmosphere for a long time period. These gas molecules rapidly combined with water vapor to generate sulfuric acid droplets in the high atmosphere all over the Earth. By These gas molecules, dust and thick black clouds surface of the Earth had been lacked Sun's warmth. The resulting veil of huge acidic aerosoles and volcanic dust provided an atmospheric shield capable of reflected enough sunlight to cause global temperatures to drop by 20-40 degrees. This aerosol-rich veil also generated spectacular optical effects all over the surface. For several years after the event, the Earth experienced exotic colors in the sky, halos around Sun and Moon, and a spectacular array of anomalous sunsets and sunrises.

Many fishes were boiled alive in seas and oceans. During few months global temperatures to drop stand lead to freezing land near the poles for several months. Mainly tropical zone survived this process. It enabled elephants and other big mammals to survive and not disappear totally.

Ocean bed was shaking at the beginning stage of the flood during 2 days and caused huge vibration of an ocean level. By the Global shaking of continental and oceanic lithosphere platforms was changed izostatical balance between asthenosphere and crust platforms. Some platforms undergone slowly rising and some were submerging. The global movements of continental platforms fully changed costal zones as well as their geographical contours. Temporal drift of continents was few day. A slow process displacements tiles had been known long ago. The renewing process of the ocean bed is going in the subduction zone of the Pacific Ocean still. Such process could be never caused formation of new mountain ranges. This process only causes melting process of solid ocean bed hard masses into asthenosphere little by little and separation small tiles from giant continental platforms. Separation of South America and Africa reaches several millimeters per year. If we measure the distance between these two continents

today, we'll have one more proof for clear explanation of their precise separation 65 million years ago. The point is that, during those 65 million years these two continents had been separated approximately 60 millimeters per year for reaching the modern distance which is between them today.

Unfortunately we have to admit the cruel reality. Hilly landscape of continents, huge mountain ranges, and high mountain systems were formed by the destroyed and burst beds of an ocean, after rapid destruction movement of the huge continental platforms. On the attractive maps "Drift of continents" we have to understand huge geo-catastrophic destroying results for the thin ocean bed. Geological term "folding of crust" is huge bursting, cracking, splitting and folding-rugosity of oceans beds. It caused by sudden rapid movement of continental lithosphere platforms. Magma flows into the destroyed crusts chunks and builds up continental platforms. This whole process is the result of aggregation state changes in the **XD** geo-layer.

**XA** is huge thin granite formation layer under the crust. Formation of granite layer needs millions of years for hardening. Each  $1\text{m}^3$  hardened solid mass of granite needs approximately **10%** additional volume and creates huge defect of volume within asthenosphere. **XA** granite-forming geo-layer is clue for changeable accumulation pressure (tectonic) forces within the asthenosphere and mysterious tectonic activity all over the crust. All surrounded coasts of an Ocean almost were formed about **12,000** years ago.

Same process within **XD** geo-sphere is reason of flowing colossal liquid masses from outer nucleuses into asthenosphere during huge geo-catastrophe. By This flowing process suddenly step by step could be increased radii of the Earth as well as formed huge cracks and destructions into thin crust. Parallel to the cracking and splitting of oceans beds, liquid magma flows into folding layers and forms intrusive bodies. This is the way of new continental lithosphere tiles formation by fully destroyed an ocean bed. During million of years after the event only sedimentary layers could be covered these tiles. Sedimentary layer mainly are forming as a result of water and atmosphere circulation. It creates beautiful islands and mountains chains, its excellent rocky peaks and valleys painted by nature's forces by the water and atmosphere circulation for millions of year's evolution.

Let's imagine for a second, what a power of future small **aEBa** geo-transfer in today's conditions could be followed by. Modern slowly convection forces are reason of slowly cooling into the asthenosphere and outer nucleus and forms colossal pressure little by little especially in the **E** and **B** geo-sphere. Periodic volcanic explosions can neutralize pressure of the bursting forces in the **B** geo-sphere. **E** geo-sphere is under huge pressure by surrounded layers. Accumulated pressure into **E** geo-sphere can be neutralized only by periodic small **aEBa** geo-transfer. That is real reason of periodic small geo-catastrophes (flood). Not so Long-lasting shaking of Earth crust will activate many passive volcanoes and creates many new ones. Liquid magma will flow through the cracks between the lithosphere plates aseptically through mid-ocean ridges. The global destruction of the crust shaking during several days will erase totally very many settlements of the Earth. Giant disaster will kill a huge number of people. Heavy rains lasting many weeks will cause terrible floods. From destroyed power plant dams colossal masses of water would be dangerous events. Huge masses of water from oceanic depth will cover huge places of the land and will destroy almost everything that escaped disaster. Global shaking of ocean beds will be reason of pouring out of huge water masses from oceanic depth on the land. The final stage of Apocalypse is a glacial. Many of them have already survived creatures would be die in the low temperature conditions. Strange conditions with warm seas, oceans and continents covered by snow and ice will appear on the Earth. Alive boiled fishes will decay in oceans and seas. The decaying process will be same on the land as well. Together of the freezing, as a result of starvation many creatures on the Earth will die as well. Ruins of many cities close to oceans and seas coasts will sink fully forever. At the initial stage of flood strongest storms and winds occur. The reason would be chaotic and rapid movement of atmospheric streams. At this stage many volcanoes will explode simultaneously.

